



Empirical data sets for agent based modeling of crowd scenarios

Target Behavioral Response Laboratory

Gordon Cooke, MEME

Elizabeth Mezzacappa, PhD & Kenneth Yagrish, BSME



Focus 2010, Human Social Culture Behavior Program

Chantilly, VA

August 6, 2009

Distribution Statement A



TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

Report Documentation Page		Form Approved OMB No. 0704-0188
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.		
1. REPORT DATE 05 AUG 2009	2. REPORT TYPE Conference Presentation	3. DATES COVERED 00-00-2008 to 00-00-2009
4. TITLE AND SUBTITLE Empirical data sets for agent based modeling of crowd scenarios Presented at the Focus 2010 Human Social Cultural Behavioral Conference, August 5, 2009, Chantilly VA		5a. CONTRACT NUMBER
		5b. GRANT NUMBER
		5c. PROGRAM ELEMENT NUMBER
6. AUTHOR(S) Gordon Cooke; Elizabeth Mezzacappa; Kenneth Yagrish		5d. PROJECT NUMBER
		5e. TASK NUMBER
		5f. WORK UNIT NUMBER
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Army, ARDEC, Target Behavioral Response Laboratory, RDAR-EIQ-SD, Building 3518, Picatinny Arsenal, NJ, 07806-5000		8. PERFORMING ORGANIZATION REPORT NUMBER
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)		10. SPONSOR/MONITOR'S ACRONYM(S)
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited		
13. SUPPLEMENTARY NOTES		
14. ABSTRACT The presentation will focus on the quantitative analysis methods for "understanding human behavior", specifically how to describe a crowd, through the analysis of the locomotion of individuals in a crowd under various control force conditions. This data set represents actual behavior of humans under group conditions and can be used to inform simulations and potentially for validation of models. These empirical data were used to generate a vector field model of the interaction forces between members of the crowd and the control force. Subjects participated in an experiment investigating crowd behavior and response to a control force in a stop approach and an area clearing scenario. Level of threat from the control force was manipulated throughout the experiment. The location and orientation of all individuals and the crowd as a whole were recorded throughout the experiment using motion capture technology and then were quantified using a variety of metrics derived from these measures. Of all the derived measures, the centroid and average leading edges demonstrated the most sensitivity to differences in weapon type and tactics. Therefore, these metrics can be used to assess and compare effectiveness of different non-lethal weapons and systems and their tactics, techniques, and procedures. Vector fields were also generated to describe the locomotion of crowd members under each condition. These vector fields describe the most likely motion of a crowd member based on their location relative to the control force and can be used in dynamic situations. This demonstrates that the Lewinian Field Theory can be directly applied to crowd science. The presentation will conclude with a discussion on applications to crowd behavior modeling.		
15. SUBJECT TERMS non-lethal weapons, vector fields, quantitative analysis, crowd, control force, stop approach, area clearing, motion capture, laboratory human experimentation, centroid, leading edge, effectiveness testing, Lewinian Field Theory		

16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Public Release	18. NUMBER OF PAGES 30	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			



Agenda



- Crowd Research
- Experimental Method
- Metrics
- Results Discussion
- Conclusion



UNCLASSIFIED- Approved for Public Release

2

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



- Large numbers
- Heterogeneous
- Individual Actors
- Interdependence
- Language Barriers
- Empirical testing is difficult
- Simulations require models based on real data, otherwise they are fiction



TBRL →



UNCLASSIFIED- Approved for Public Release

3

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



Methods



Gather empirical
data on
real people and
real groups in
tactically relevant
situations



UNCLASSIFIED- Approved for Public Release

4

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



TBRL →



- Groups of 12-19 individuals
- Controlled motivations toward goal & away from control force with money
- Manipulated type of weapon and the ROE
- Approach / Keep away
 - (“Deny access into/out of an area to individuals” JNLE/CBA)
- Recorded spatial data
- Video recording



TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



Test Setup



TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

Slide 6


MD1

Suggest captions on all pic slides.

Administrator, 7/22/2009



Test layout



UNCLASSIFIED- Approved for Public Release

7

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.




- Vicon V8i system
- 24 cameras
- 120 fps
- Optical tracking of retro reflective markers (ø14mm)
- Marker error <10mm
- Subjects
 - Unique Helmets
 - XYZ location + 3DOF orientation of head
- Control Force
 - Head & Torso
 - Capability for weapon



Courtesy
Vicon



Example





Individual Metrics



$S_{t,Sa}$	Distance covered in interval
$V_{t,Sa}$	Instantaneous Velocity
$ID_{t,Sa,Sb}$	Interpersonal Distance between any pair of subjects
$CD_{t,c,Sa}$	Distance between control force-subject pairs
$CID_{t,c,c}$	Interpersonal Distance between any pair of control force



UNCLASSIFIED- Approved for Public Release 10


TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



Cg_t	Geometric Center- middle of extrema
Cd_t	Centroid- mean of subject positions
D_t	Dispersion- mean subject radii from centroid
$LE_t TE_t$	Leading/Trailing edge- max/min along the approach axis
ρ_t	Density- $\rho_t = N / \pi D_t^2$
CD_{min_t}	Minimum distance between any subject-control force pair
$\sigma O_t \sigma V_t$	Deviation of Orientation/Velocity- StDev of all subjects head orientation or velocity
Vc_t	Bulk velocity of crowd- rate of change of centroid




Defined time periods based on events dependent on the construct or scenario used.





TBRL →

- Each subjects path of movement considered separately.
- Coordinate conversion so Control Force is origin.
- Subject locations grouped into cells.
- Resulting vector for a cell is the average vector from all data in that cell.
- Stream lines built from Vector Field.





Results and Discussion






90 trials of data
Recorded from 5 groups
each made up of 12-17 individuals




UNCLASSIFIED- Approved for Public Release

13


TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



11d. Standoff Weapon/NoThreat



11e. Hand Weapon/No Threat



Centroid
Measures



UNCLASSIFIED- Approved for Public Release

14


TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



Leading Edge



Leading Edge
Measures








UNCLASSIFIED- Approved for Public Release

15

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



Dispersion
Measures
(Average Radius)






Leading Edge Comparison



TBRL




UNCLASSIFIED- Approved for Public Release

17

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



Baseline Vector Field



Goal End

Start End

UNCLASSIFIED- Approved for Public Release

18


TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



Baseline Vector Field



Baseline: Streamlines



Goal End

Streamline View


Start End



UNCLASSIFIED- Approved for Public Release

19


TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



Recorded vector fields are combined behavior towards the goal and avoid the control force.



Can subtract baseline (towards goal) to find the vector field only avoiding the control force.





No Threat Streamlines





Hand-to-Hand Combat Weapon

Stand-off Weapon



TBRL →



UNCLASSIFIED- Approved for Public Release

21

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



Threat Streamlines





Hand-to-Hand Combat Weapon

Stand-off Weapon



TBRL →



UNCLASSIFIED- Approved for Public Release

22

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



Conclusion



- It is possible to capture empirical data from real humans in group/crowd situations.
- Behavior of crowds seems rather consistent without control force.
- Centroid behavior shows difference between baseline, no-threat, and each weapon type.
- Leading edge might be used to quantify delays caused under different conditions.



UNCLASSIFIED- Approved for Public Release

23

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



Conclusion



- Possible to create vector fields of actual crowd motion to use in models.
- Simulations could use this model to determine most likely motion of an individual.
- Using known vector field of a goal and a control force, could simulate behavior in a situation with two goals and multiple control forces.
- Simulations would be well suited for expanding the situation to large crowds of 100s to 1,000s.



UNCLASSIFIED- Approved for Public Release

24

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



Impact on M & S



- These results demonstrate the capability of the testbed to quantify the subtle differences exhibited by crowds as they react to changes in their environment. This ability translates to an immediate jump to in the level of fidelity available for modelers and simulators. Leveraging this type of information should help in fulfilling the potential of M&S. Work should be conducted immediately to transform the current vector fields into a mathematical model of the repulsive field around the control force.

UNCLASSIFIED- Approved for Public Release

25

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.




Back-up Slides



TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



Coordinate System



UNCLASSIFIED- Approved for Public Release 27


TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



Vector Field Algorithm



TBRL






UNCLASSIFIED- Approved for Public Release

28

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



Baselines



Baseline Measures
(No Control Force)

UNCLASSIFIED- Approved for Public Release 29

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.